

## Fiber Patch Cord OM3 50/125 $\mu$

### Technical Features

Duplex Jumper 50/125 $\mu$  Multimode

Fiber: I-VH 2G 50/125 $\mu$  OM3

Jacket: LSZH, aqua, Ø2 mm, IEC60754-2(Halogen free), IEC 61034(Low smoke), IEC60332-1(Flame retardant)

Application: Up to 10 Gbit/s / 300 m

Standard: DIN EN 50173-1 and IEC/ISO 11801

Quality: Each cable includes a measure protocol


Connector polishing: Ultra physical contact (UPC)

### Transmission Characteristics


Insertion Loss	$97\% \leq 0,25 \text{ dB}$ ; Means $\leq 0,12 \text{ dB}$
Return Loss	$\geq 30 \text{ dB}$
Minimum Quality Class	Grade A/1 according to IEC-61753-222-2
Fiber Quality	Class A

## Technical Drawings


FP3LC01




FP3LS01




FP3LT01




Length	LC-LC	EAN Code	SC-SC	EAN Code
0,5 m	FP3LC00	4052792017649	FP3SC00	4052792028140
1 m	FP3LC01	4052792017656	FP3SC01	4052792028157
2 m	FP3LC02	4052792017663	FP3SC02	4052792028164
3 m	FP3LC03	4052792017670	FP3SC03	4052792028171
5 m	FP3LC05	4052792017687	FP3SC05	4052792028188
7,5 m	FP3LC07	4052792017694	FP3SC07	4052792028195
10 m	FP3LC10	4052792017700	FP3SC10	4052792028201
15 m	FP3LC15	4052792017717	FP3SC15	4052792028218
20 m	FP3LC20	4052792017724	FP3SC20	4052792028225
30 m	FP3LC30	4052792035629		
40 m	FP3LC40	4052792035636		
50 m	FP3LC50	4052792035643		



Length	LC-SC	EAN Code
0,5 m	FP3LS00	4052792017915
1 m	FP3LS01	4052792017922
2 m	FP3LS02	4052792017939
3 m	FP3LS03	4052792017946
5 m	FP3LS05	4052792017953
7,5 m	FP3LS07	4052792017960
10 m	FP3LS10	4052792017977
15 m	FP3LS15	4052792017984
20 m	FP3LS20	4052792017991



Length	LC-ST	EAN Code
0,5 m	FP3LT00	4052792018004
1 m	FP3LT01	4052792018011
2 m	FP3LT02	4052792018028
3 m	FP3LT03	4052792018035
5 m	FP3LT05	4052792018042
7,5 m	FP3LT07	4052792018059
10 m	FP3LT10	4052792018066
15 m	FP3LT15	4052792018073
20 m	FP3LT20	4052792018080



## Package Content

1 x Fiber Patch Cord OM3 50/125 $\mu$

## Packaging Information

Cable Length	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
0,5 m	200 x 200 mm	0,015 kg	420 x 250 x 250 mm	250 pcs	4,75 kg
1 m	200 x 200 mm	0,022 kg	420 x 250 x 250 mm	200 pcs	5,4 kg
2 m	200 x 200 mm	0,025 kg	420 x 250 x 250 mm	180 pcs	5,5 kg
3 m	200 x 200 mm	0,03 kg	420 x 250 x 250 mm	160 pcs	5,8 kg
5 m	200 x 200 mm	0,042 kg	420 x 250 x 250 mm	100 pcs	5,2 kg
7,5 m	200 x 200 mm	0,07 kg	420 x 250 x 250 mm	70 pcs	5,9 kg
10 m	230 x 230 mm	0,085 kg	420 x 250 x 250 mm	70 pcs	6,95 kg
15 m	230 x 230 mm	0,12 kg	420 x 250 x 250 mm	50 pcs	7 kg
20 m	230 x 230 mm	0,17 kg	420 x 250 x 250 mm	40 pcs	7,8 kg
30 m	230 x 230 mm	0,25 kg	420 x 250 x 250 mm	20 pcs	6 kg
40 m	250 x 250 mm	0,32 kg	420 x 250 x 250 mm	16 pcs	6,12 kg
50 m	250 x 250 mm	0,36 kg	420 x 250 x 250 mm	16 pcs	6,76 kg