





750W PC Power Supply

Features:



80 Plus Gold Certification

With 87%~90% extreme high efficiency at 20%~100% of load to reduce the loss of electricity and save your money on facility bill.



Silent Fan

Whisper quiet 13.5 cm fan brings more airflow volume with less noise than convention.



Smart Fan Control

Equipped with "Smart Fan Control" design, which offers two types of operation modes, silent mode and cooling mode. The Astro adjusts fan operation mode automatically according to the system loading as well as the ambient temperature level.



Single +12V Output Rail

Offers maximum compatibility for the +12V demand.



Reliable Japanese-Made Main Capacitors

Longer lifespan than electrolytic capacitors.



Reliable Solid-State Capacitors

Enhance your system durability and stability even under extreme conditions.



Long Cable Length

Long cables support the cable management behind motherboard.



Patented Easy Swap Connector

Quick and easy installation.











750W PC Power Supply



Easily Detachable and Flexible Flat Modular Cables

Use only the cables you need. Reduce clutter from unused connectors and enhance the air flow inside your system.



ErP Compliance

Its standby and off mode wouldn't exceed 0.5W consumption to save energy and maintain sustainable environment.

Specification:

Model no.		PA0088	PA0089	PA0090
Input	Voltage	230V	230V	100-240V
	Current	6.3A	6.3A	10A
	Total Watts	400W	700W	750W
Output	+5V	20A	22A	22A
	+3.3V	20A	22A	22A
	+12V1	16A	52.5A	62.5A
	+12V2	16A	-	-
	-12V	0.3A	0.3A	0.3A
	+5Vsb	2.5A	2.5A	3.0A
	+5V+3.3V	103W	130W	120W
	+12V Combined	360W	630W	750W
PCI-Express Connectors	20+4pin	1	-	-
	24pin	-	1	1
	CPU 4pin	1	0	0
	CPU 4+4pin	0	1	1
	CPU 8pin	0	0	0
	PCI-E 6+2pin	0	4	4
	PCI-E 6pin	1	0	0
	SATA	3	6	8
	HDD	3	3	4
	FDD	1	1	1





* The specifications and pictures are subject to change without notice. *All trade names referenced are the registered namework of their respective owners.





750W PC Power Supply

Dimension (WxDxH)	150x140x86mm	150x160x86mm	150x160x86mm
Weight	1.55kg	1.75kg	1.85kg
Fan Bearing	Sleeve bearing fan	Sleeve bearing fan	Sleeve bearing fan
PFC	Active PFC	Active PFC	Active PFC
Fan Size (cm)	12cm	13.5cm	13.5cm
Operating Temperature	0°C ~ 40°C	0°C ~ 40°C	0°C ~ 40°C
Storage Temperature	-40°C ~ 70°C	-40°C ~ 70°C	-40°C ~ 70°C

Connectors:



•20+4pin



•CPU 4+4pin



• PCI-E 6+2pin



• SATA



•HDD





•FDD






^{*} The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.





750W PC Power Supply














750W PC Power Supply







^{*} The specifications and pictures are subject to change without notice. *All trade names referenced are the registered namework of their respective owners.







750W PC Power Supply

Package Contents:

- 750W PC Power Supply x 1
- User Manual x 1

Packaging Information:

- Packing Dimension: 363 x 223 x 100mm
- Packing Weight: 2.8kg
- Carton Dimension: 530 x 380 x 240mm
- Carton Q'ty: 5pcsCarton Weight: 15.2kg









